

SHIP: USS LASALLE (AGF-3)

ITEM NO: 634-11-001

COAR: 16-537

PCN: SS05-0482

CMP: NONE

SURVEYOR: ROBERSON

1. SCOPE:

1.1 Title: Stratika Deck Tile; install

1.2 Location of Work:

1.2.1 Wardroom Officers Mess (01-68-0-L)

1.3 Identification:

1.3.1 Not Applicable

2. REFERENCES:

a. Occupational Safety and Health Regulations (OSHA) 29 CFR 1910.1001

b. PPI NBR: 63421-002 Rev (00), PRESERVATION PROCESS INSTRUCTION (PPI)  
Stratika Tile, Surface Preparation method of Power Tool Cleaning

3. REQUIREMENTS:

3.1 Lift or remove equipment from each compartment listed in 1.2 to ensure the complete removal of the deck covering and to facilitate the new installations.

3.2 Accomplish the requirements of 2.a for the removal and disposal of deck covering containing asbestos material.

3.3 Accomplish the requirements of 2.b for the compartment listed in 1.2.

3.3.1 Chip and grind surfaces flush in way of removals.

3.4 Install the equipment that was lifted or removed in 3.1 in its original location using new CRES fasteners conforming to MIL-S-1222, Grade 304.

4. NOTES:

4.1 None.

SHIP: USS LASALLE (AGF-3)

5. GOVERNMENT FURNISHED MATERIAL (GFM):

	<u>QTY</u>	<u>UI</u>	<u>NAME OF PART/ DESCRIPTION</u>	<u>PIECE NO.</u>	<u>REF. NO.</u>	<u>NATIONAL STOCK NO.</u>	<u>PARA NO.</u>
5.1 PUSH MATERIAL:							
1.			None.				
5.2 KITTED MATERIAL:							
1.			None.				
5.3 LLTM:							
1.	30	CT	Stratica Tile, Cherry Wood, X-W515, 2.5MM Thick (Known source; Amtico International Inc. 401 Edgemoor Rd. Wilmington, DE 19809 302-762-3554)	--	--	-----	3.3
2.	10	UT	Stratica Epoxy Adhesive (Known source; Amtico International Inc. 401 Edgemoor Rd. Wilmington, DE 19809 302-762-3554)	--	--	-----	3.3
3.	1200	SF	Underlay, MIL-D-3135 Type I, Class 2, (Coverage 1200 SF Req'd)	___	___	-----	3.3
4.	One	KT	Paint, F-150	--	--	8010004376757	3.3